

5 **SYSTEM AND METHOD FOR RAPID PRESENTATION OF STRUCTURED**
DIGITAL CONTENT ITEMS

10 **FIELD OF THE INVENTION**

More particularly, the present invention relates to computer software for rapid presentation of digital content items that can be arranged in a structured or hierarchical manner.

15 **BACKGROUND OF THE INVENTION**

Today, there are numerous situations in which digital content items (e.g., files, text, graphics, etc.) are arranged in a structured or hierarchical manner. For example, file directories provide a hierarchical structure in which files are organized. In a typical file directory viewing program, upon receiving a selection of a particular directory of the file directory, files and sub-directories of the selected directory are typically displayed on a user interface. A user may then either select a displayed file or select a displayed sub-directory. If a displayed sub-directory is selected, files and sub-directories of the selected sub-directory are typically displayed on a user interface. In this manner, a user may search through various layers a file directory that organizes files in a hierarchical structure.

Many other hierarchical structures exist for organizing digital content items. In the context of a business directory, for example, business names are arranged by categories and often, also by sub-categories. Examples of business categories include banks, hotels, restaurants, and the like. As an example of sub-categories, the restaurant category, may have sub-categories of Chinese restaurants, Italian restaurants, and the like. In this manner, business names may be organized into the hierarchical structure in a logical manner, allowing a user to more easily locate a desired business name.

Despite improvements in software, the presentation of structured digital content items is still a very time consuming process. For example, to view digital content items in an advertisement compilation such as an electronic Yellow Pages telephone directory, a user may navigate through a series of complex screens and drop-down menus to find and view a particular advertisement. Alternatively, a user may search on particular keywords and then scroll through the search results to view a particular advertisement. This may take a multitude of keystrokes until the desired advertisement is found.

Further, with conventional systems and methods, the order of displaying categories and digital content items remains constant. That is, each time a user navigates through the series of complex screens and drop-down menus, the same ordering of categories and digital content items is used. Therefore, even if a user typically searches for and selects Italian restaurants, the user may have to spend a long time searching through the entire list of restaurant categories before reaching the Italian restaurant category. Each time the user searches for a particular category or digital content item, the user searches through the entire list of categories or digital content items in their original order.

In view of the foregoing, there is a need for a system and method for rapid presentation of structured content.

SUMMARY OF THE PRESENT INVENTION

5 The present invention is directed to the rapid presentation of structured digital content items using a pointing device to quickly view categories and digital content items within the categories.

 According to one aspect of the present invention, a structure file defines a hierarchical structure and a plurality of content files each define a set of digital content
10 items. Each content file can be related to a position within the hierarchical structure, thereby organizing the digital content items into the hierarchical structure. To present categories and digital content items rapidly, categories are read from the structure file and sets of digital content items are read from each content file. The categories are mapped to areas on a display. Continuously, a location on the display is received via a pointing
15 device and a category corresponding to the received location is displayed. Further, a selection of a location on the display is received. The selection corresponds to a particular category based on the mapped areas. The content files corresponding to the particular category are read and mapped to areas on the display. Continuously, a location on the display is received via a pointing device and the digital content items
20 corresponding to the content file mapped to that location are displayed.

 According to another aspect of the present invention, user preferences are stored and used to intelligently display categories and sets of digital content items. A user selection of a category or digital content items is received and stored. The selection may be stored in the structure file, one of the content files, a preference file, or the like. The

selection may be stored in the form of a counter that indicates how many times a category or set of digital content items has been selected. In this manner, categories and sets of digital content items may be prioritized based on a number of selections. Alternatively, the selection may be stored in the form of a user name and selection time. In this manner, categories and sets of digital content may be prioritized based on a user and a time.

The above-listed features, as well as other features, of the present invention will be more fully set forth hereinafter.

BRIEF DESCRIPTION OF THE DRAWINGS

The present invention is further described in the detailed description that follows, by reference to the noted plurality of drawings by way of non-limiting illustrative embodiments of the present invention, in which like reference numerals represent similar parts throughout the several views of the drawings, and wherein:

Figure 1 is a block diagram of an exemplary computing device and communications network with which the present invention may be employed;

Figure 2 is a flow diagram of a method for rapidly presenting structured digital content items, in accordance with an embodiment of the present invention;

Figures 3a and 3b are illustrations of the operation of an embodiment of the present invention; and

Figures 4a through 4b are flow diagrams of methods for rapidly presenting structured digital content items based on user preferences, in accordance with an embodiment of the present invention.

DETAILED DESCRIPTION OF THE ILLUSTRATIVE EMBODIMENTS

The present invention is directed to the rapid presentation of structured digital content items using a pointing device to quickly view categories and digital content items within the categories.

Figure 1 is a block diagram of a generic computing system with which the present invention may be employed. As shown in Figure 1, computing device 120 includes processor 122, system memory 124, and system bus 126 that couples various system components including system memory 124 to processor 122. System memory 124 may include read-only memory (ROM) and/or random access memory (RAM). Computing device 120 may further include hard-drive 128, which provides storage for computer readable instructions, data structures, program modules, data, and the like. A user (not shown) may enter commands and information into the computing device 120 through input devices such as a keyboard 140 and/or a mouse 142. A display device 144, such as a monitor, a flat panel display, or the like is also connected to the computing device 120 for output. Display device 144 includes touch screen 145. Display device 144 may also include other pointing devices such as a light pen, a grid of light beams, or the like for inputting information into processor 122. Communications device 143, which in one embodiment is a modem, provides for communications over network 150. Processor 122 can be programmed with instructions to interact with other computing systems so as to perform the techniques described below. The instructions may be received from network 150 or stored in memory 124 and/or hard drive 128. Processor 122 may be loaded with any one of several computer operating systems such as WINDOWS NT operating system, WINDOWS 2000 operating system, LINUX operating system, and the like.

As shown in Figure 1, computing device 120 may be connected to computer network 150. Server 164 is operable to communicate with other computing devices over network 150. Network 150 may be the Internet, a local area network, a wide area network, or the like. Server 164 may communicate e-mails, web pages, and other data. Server 164 may be operated by an ISP, a corporate computer department, or any other organization or person with a server connected to network 150. Server 164 is accessible by client stations 168 from which users may send and receive data and browse web pages. Client stations 168 may connect to servers via a local area network (not shown) or using a remote connection device 172 such as, for example, a modem, as is shown in connection with server 164.

Figure 2 is a flow diagram of a method in accordance with one embodiment of the present invention, as applied to the computing device of Figure 1. As shown in Figure 2, at step 200, processor 122 reads a file referred to herein as a "structure file." The term "structure file" is defined herein as a file which defines a hierarchical structure for sets of digital content items. The structure file may be any type of file for providing structure to sets of digital content items, such as for example, a document type definition (DTD) file, an extensible markup language (XML) schema file, or the like. To illustrate, processor 122 reads a DTD file containing the following:

```
<DTDFILE> <PHONEBOOK>
<BUSINESS CATEGORY>
  <AUTOMOBILE DEALER> </AUTOMOBILE DEALER>
  <BANK> </BANK>
  <HOTEL> </HOTEL>
  <RESTAURANT>
    <CHINESE> </CHINESE>
    <ITALIAN> </ITALIAN>
```

<GREEK> </GREEK>

</RESTAURANT>

</BUSINESS CATEGORY>

</PHONEBOOK> </DTDFILE>

5 The above DTD file implements a structural hierarchy by grouping tags. The hierarchy is organized at a first layer by business category, which is identified by the tag BUSINESS CATEGORY. The first layer includes the following business type categories: automobile dealer, bank, hotel, and restaurant, which are identified by the tags AUTOMOBILE DEALER, BANK, HOTEL, and RESTAURANT, respectively. The restaurant category
10 includes a second layer having sub-categories of Chinese, Italian, and Greek, which are identified by the tags CHINESE, ITALIAN, and GREEK, respectively.

In addition to the structure as described above, sets of digital content items are associated with the structure. Digital content items may include a text string, a text file, a graphical image file, an audio file, and the like. A content file may be used to
15 group several digital content items and to relate the group or set of digital content items to the structure. The term "content file" is defined herein as a file containing a digital content item or a reference to a digital content item and a relationship to a structure file.

To explain further, a content file may contain a digital content item and/or a reference to a digital content item. For example, if the digital content item is a text
20 string of "123-456-7890", the content file may simply contain the text string, "123-456-7890." If the digital content item is a graphical image file, for example, a .jpg file, the content file may contain the location of the file, for example, "c:/phonenumbers/1234567890.jpg." In either event, the content file allows an application to access the digital content item, either directly or indirectly.

Content files also link the set of digital content items to the structure file such that each content file can be related to the hierarchy implemented by the structure file. For example, XML files may be linked to the DTD file such that each XML file has a business category tag therein, which relates the file to a layer within the DTD file hierarchy. XML files having a business category tag of restaurant may include a restaurant sub-category tag, such as Chinese, Italian, Greek, and the like. In this manner, each content file can be related to the hierarchy implemented by the structure file, and therefore, each set of digital content items can be related to the hierarchy.

For purposes of illustration, four content files are provided below. While the content files below are illustrated as XML files, it is contemplated that the content file may be any file containing a digital content item or a reference to a digital content item and a relationship to a structure file. As shown below, each file identifies an Italian restaurant and has the appropriate XML tags to place the restaurant in the appropriate location within the hierarchy defined in the DTD file above.

The first file, referred to herein as content file A, comprises the following:

```
<XMLFILE>
<BUSINESS CATEGORY> Restaurant </BUSINESS CATEGORY>
<RESTAURANT CATEGORY> Italian </RESTAURANT CATEGORY>
<NAME> Cousin Lou's </NAME>
<DESCRIPTION> Italian Restaurant </DESCRIPTION>
<PHONE> 123-456-7890 </PHONE>
</XMLFILE>
```

As shown, content file A includes tags identifying that the business is a restaurant and falls within the sub-category of Italian restaurants. As such, content file A can be placed in the hierarchy of the DTD file under the sub-category Italian of the category restaurant.

Content file A also includes digital content items. As shown, content file A includes a text string of “Cousin Lou’s” associated with the tag NAME, a text string of “Italian Restaurant” associated with the tag DESCRIPTION, and a text string of “123-456-7890” associated with the tag PHONE.

5 The second file, referred to herein as content file B, comprises the following:

```
<XMLFILE>
<BUSINESS CATEGORY> Restaurant </BUSINESS CATEGORY>
<RESTAURANT CATEGORY> Italian </RESTAURANT CATEGORY>
10 <NAME> Casa D’Amici </NAME>
<DESCRIPTION> Italian Cuisine </DESCRIPTION>
<PHONE> 987-654-3210 </PHONE>
15 </XMLFILE>
```

As shown, content file B includes tags identifying that the business is a restaurant and falls within the sub-category of Italian restaurants. As such, content file B can be placed in the hierarchy of the DTD file under the sub-category Italian of the category restaurant. Content file B also includes digital content items. As shown, content file B includes a text string of “Casa D’Amici” associated with the tag NAME, a text string of “Italian Cuisine” associated with the tag DESCRIPTION, and a text string of “987-654-3210” associated with the tag PHONE.

20 The third file, referred to herein as content file C, comprises the following:

```
<XMLFILE>
<BUSINESS CATEGORY> Restaurant </BUSINESS CATEGORY>
25 <RESTAURANT CATEGORY> Italian </RESTAURANT CATEGORY>
<NAME> Dino’s </NAME>
<DESCRIPTION> Bar and Grill </DESCRIPTION>
```

<PHONE> 456-789-0123 </PHONE>
</XMLFILE>

As shown, content file C includes tags identifying that the business is a restaurant and falls within the sub-category of Italian restaurants. As such, content file C can be placed
5 in the hierarchy of the DTD file under the sub-category Italian of the category restaurant. Content file C also includes digital content items. As shown, content file C includes a text string of “Dino’s” associated with the tag NAME, a text string of “Bar and Grill” associated with the tag DESCRIPTION, and a text string of “456-789-0123” associated with the tag PHONE.

10 The fourth file, referred to herein as content file D, comprises the following:

<XMLFILE>
<BUSINESS CATEGORY> Restaurant </BUSINESS CATEGORY>
<RESTAURANT CATEGORY> Italian </RESTAURANT CATEGORY>
15 <NAME> Poppy’s </NAME>
<DESCRIPTION> Pasta Place </DESCRIPTION>
<PHONE> 111-222-3333 </PHONE>
</XMLFILE>

As shown, content file D includes tags identifying that the business is a restaurant and
20 falls within the sub-category of Italian restaurants. As such, content file D can be placed in the hierarchy of the DTD file under the sub-category Italian of the category restaurant. Content file D also includes digital content items. As shown, content file D includes a text string of “Poppy’s” associated with the tag NAME, a text string of “Pasta Place” associated with the tag DESCRIPTION, and a text string of “111-222-3333” associated
25 with the tag PHONE.

Thus each of the illustrative content files A, B, C, and D, contains a business category tag set to ‘restaurant’ and a restaurant category tag set to ‘Italian’. As

such, all four content files includes tags that fall within the hierarchy defined in the illustrative structure file. Pairing the content files with the structure file allows for the rapid display of the digital content items, as described in more detail below.

Referring back to Figure 2, at step 205, processor 122 reads the categories of the first layer from the structure file. In the context of the illustrative embodiment, processor 122 reads four business categories, automobile dealer, bank, hotel, and restaurant from the DTD file

At step 207, processor 122 maps each category to an area of display device 144. In this illustration, since there are four categories, processor 122 divides the display device 144 into four regions by dividing the maximum number of x-pixels on display device 144 by two and the maximum number of y-pixels by two to obtain threshold values. For example, for a 800-x-pixel by 600-y-pixel display, the 800-x-pixels are divided by two, resulting in a threshold value of four hundred and the 600-y-pixels are divided by two, resulting in a threshold value of three hundred. These threshold values divide display device 144 into regions, or quadrants in the case of four categories, and each region is associated with a category. In this manner, processor 122 maps from a pointer location to a selected category based upon the threshold values and the pointer location.

Alternatively, if the number of categories or content files is very large, the categories or content files may be mapped to a pixel location rather than an area of the display device. To implement this mapping, a single number can be derived from the x-pointer and y-pointer location according to $x\text{-pixel-location} + (y\text{-pixel-location} * \text{maximum-x-pixels})$ and each derived number may then be mapped to a corresponding category or content file.

The mapping of the categories to a particular region may be based upon any number of criteria including a predefined order of category names, an alphabetical ordering of the category names, or the like. Alternatively, the mapping may be performed based on a stored user preference, as described in more detail below.

5 At step 210, processor 122 receives an x-coordinate and a y-coordinate corresponding to a location on display device 144. The x, y-coordinate pair is defined by a pointing device which may be a mouse 142, a touch screen, a light pen, or other pointing device.

10 At step 215, processor 122 causes a category to be displayed on display device 144 corresponding to the location received from the pointing device. The category may be displayed as a display instance. A display instance is defined herein as digital information in a format which may be sent to a display device for displaying. The display instance may contain, for example, plain text and/or a graphical bitmap. In either case, the category is displayed on display device 144. Figure 3a provides an illustration of the
15 category display instances that are displayed as a result of the DTD file specified above. As shown in Figure 3a, processor 122 displays instance 300, "Automobile Dealer," in response to receiving location 301 from the pointing device. Processor 122 displays instance 310, "Bank," in response to receiving location 311 from the pointing device. Processor 122 displays instance 320, "Hotel," in response to receiving location 321 from
20 the pointing device. Processor 122 displays instance 330, "Restaurant," in response to receiving location 331 from the pointing device.

A style definition may be applied to the category name for creating and displaying the instance. For example, an extensible style language (XSL) file may be applied to the category name, such that the category name is displayed in bold font style,

in italic font style, in 12 point font size, and the like. In this manner, the display instance may be made more appealing.

Referring back to Figure 2, at step 220, processor 122 determines if a selection is received from the pointing device. If a selection is received, the currently displayed category is the selected category and the processing proceeds to step 225. If a selection is not received, processor 122 returns to step 210 to receive another pointer location and to display another category instance. Processor 122 continually returns to step 210 until a selection is received or processing is otherwise halted.

At step 225, processor 122 determines if there is another layer of the hierarchy below the selected category as defined by the structure file. If there is no layer below the selected category, processor 122 proceeds to step 230, described below. If there is a layer below the selected category, processor 122 performs steps 205 through 220 again with respect to the layer below the selected category (i.e., a layer containing sub-categories). For example, if the selected category is restaurant, processor 122 proceeds back to step 205 and reads from the structure file, the sub-categories in the layer below restaurant. As defined in the illustrative structure file, the layer below restaurant includes three sub-categories: Chinese, Italian, and Greek. At this point, processor 122 proceeds again through steps 210 through 220 and determines if a sub-category has been selected.

At step 230, processor 122 reads a set of digital content items corresponding to the selected category. Particularly, processor 122 reads each set of digital content items that is mapped to the selected category. This might be accomplished, for example, by reading the content files for the selected subcategory. In the context of the illustrative structure file, if the selected category is sub-category Italian

restaurant, processor 122 reads sets of digital content items corresponding to the sub-category Italian restaurant. Particularly, in the example, processor 122 reads the four content files A, B, C, and D described above, since all four files have a business category of restaurant and a restaurant sub-category of Italian.

5 In the present embodiment, at step 230, processor 122 also creates a display instance for each set of digital content items in advance of proceeding to the next step. By creating the display instances all at once, processor 122 is efficiently utilized and the user may quickly view many different display instances. That is, while the user is proceeding to the next step, processor 122 is already creating the display instances that
10 will be used in the next step. Therefore, once the user begins using the pointing device to view display instances, the display instances need only be sent to the display rather than being created and then being sent to the display. However, due to computing limitations of computing device 120 or other design concerns, processor 122 may alternatively create only one display instance at a time in response to a received pointer location.

15 According to another implementation, processor 122 may begin creating display instances and proceed to step 235 while concurrently completing the creation of the remaining instances. In this implementation, the user will not be delayed from proceeding to the next step; however, some display instances may be slower to appear on the display device. This implementation may be preferred in some cases due to
20 computing limitations of computing device 120 or other design concerns. For example, this implementation may be preferred if content files are being read from network 150.

In yet another implementation, the display instances are created beforehand by processor 122 or another processor, for example, accessible over network 150 and are mapped to the content files.

At step 232, processor 122 maps each set of digital content items to an area of display device 144. In this example, since there are four content files (i.e., four XML files corresponding to the selected category), processor 122 divides display device 144 into four regions by dividing the maximum number of x-pixels on display device 144 by two and the maximum number of y-pixels by two to obtain threshold values. These threshold values divide display device 144 into regions and each region is associated with a set of digital content items. In this manner, processor 122 maps from a pointer location to a set of digital content items based upon the threshold values and the pointer location. Processor 122 may also map each set of digital content items to pixel location as described above in step 207.

The mapping of the sets of digital content items to a particular region may be based upon any number of criteria including a predefined order of content files, an alphabetical ordering of the content files, or the like. Alternatively, the mapping may be performed based on a stored user preference, as described in more detail below.

At step 235, processor 122 receives an x-coordinate and a y-coordinate corresponding to a location on display device 144. At step 240, processor 122 causes a set of digital content items to be displayed on display device 144. The set of digital content items is based upon the received location from the pointing device. The set of digital content items may be displayed as a display instance. Figure 3b provides an illustrative example of display instances that may be displayed as a consequence of the content files described above. As shown in Figure 3b, processor 122 displays instance 350, which corresponds to content file A, in response to receiving location 351 from the pointing device. Processor 122 displays instance 360, which corresponds to content file B, in response to receiving location 361 from the pointing device. Processor 122 displays

instance 370, which corresponds to content file C, in response to receiving location 371 from the pointing device. Processor 122 displays instance 380, which corresponds to content file D, in response to receiving location 381 from the pointing device.

A style may also be applied to each digital content item for displaying the display instance. For example, an XSL file may be applied to each XML file, thereby creating a display instance for each digital content item. The XSL file may apply bold font style, italic font style, 12 point font size, or any other stylistic feature to each XML file. In this manner, the display instances may be made more appealing. As shown, an italic font style is applied to the description of display instance 350. XSL files may be predetermined and stored on hard drive 128, memory 124, server 164, or the like.

A content file may contain a graphic file or a reference to a graphic file. If so, processor 122 reads the graphic file and creates a display instance containing a graphic image corresponding to the graphic file. In this manner, the display instance may contain graphic images, which may make the advertisement more appealing to a user.

Referring again to Figure 2, at step 245, processor 122 determines if a selection is received from the pointing device. If a selection is received, the currently displayed set of digital content items is the selected set of digital content items and the processing ends. If a selection is not received, processor 122 returns to step 235 to receive another pointer location and to display another display instance. Once a set of digital content items is selected, processor 122 marks the set as selected and may perform further processing, as described in more detail below. A selection may be a release from a touch screen, a click of a mouse button, or the like

According to another embodiment of the present invention, a user's preferences may be stored and used in displaying categories and digital content items.

Figure 4a is a flow diagram of a method for storing user preferences for viewing digital content items. As shown in Figure 4a, at step 400, processor receives a selection of a category or a set of digital content items, as described in step 220 or 245 above. At step 405, processor 122 stores an indication corresponding to the selected category or set of digital content items.

Processor 122 may store the indication in a “preference file.” In the case that a category is selected, processor 122 creates an entry in a preference file identifying that the user has selected a particular category. Each time the category is subsequently selected, processor 122 increments a counter of the number of times that the particular category has been selected. For example, if a user has selected the restaurant category, processor 122 creates an entry that the restaurant category was selected. If the restaurant category is selected again, processor 122 increments the counter to identify that the restaurant category has been selected twice. Each time a user selects a category, processor 122 stores more information about the user’s preferences. As such, processor 122 becomes more intelligent regarding the preferences of the user and may make the user’s interactions with the processor more efficient. The file in which the preference data is stored, the “preference file,” may be a text file, a spreadsheet, or any file containing information representing a category and a counter of the number of times a category is selected. The preference file may be stored on hard drive 128, on server 164, or the like. If the preference file is stored on server 164, the preference file is named such that it may be related to a particular user. In this manner, the preferences of multiple users may be maintained, and thus, the preferences of one user may be distinguished from the preferences of other users.

In an alternative implementation, user preferences are stored in the structure and/or content files. For example, in the structure file described above, if a user selects the Italian restaurant category, processor 122 may store the following entry in the structure file:

```
5      <RESTAURANT>
        <CHINESE> </CHINESE>
        <ITALIAN> </ITALIAN>
<USER#1 SELECTED 051001AM0804> YES </USER#1 SELECTED 51001AM0804>
        <GREEK> </GREEK>
```

10 As shown, an entry is stored in the DTD file that stores a user identification and a selection date and time. The structure file may be stored as one structure file containing the selections of multiple users or as one structure file for each user. In this manner, the preferences of one user may be distinguished from the preferences of other users.

15 With respect to storing user preferences for sets of content items, the entry may be stored directly in the content file. For example, in content file B described above, if a user selects Dino's, processor 122 may store the following entry in the content file:

```
20      <NAME> Dino's </NAME>
        <DESCRIPTION> Bar and Grill </DESCRIPTION>
<USER#1 SELECTED 051001AM0804> YES </USER#1 SELECTED 51001AM0804>
```

25 As shown, a line is stored in the XML file that stores a user identification and a selection date and time. The content file may be stored as one content file containing the selections of multiple users or as one content file for each user. In this manner, the preferences of one user may be distinguished from the preferences of other users.

Thus, using either separate preference files or entries in the structure and/or content files, user preferences are stored and employed during the mapping process to make the system more user friendly. Figure 4b provides a flow chart of a process for mapping structure and content using user preference data. Referring to Figure 4b, at step 410, to display a category or a set of digital content items, processor 122 reads the user's preferences. At step 415, the categories or sets of digital content items are mapped to a region of display device 144 based on the user preferences. In particular, categories or sets of digital content items that have previously been selected by the user are mapped to a particular region of display device 144. For example, categories that have previously been selected may be mapped to the upper right hand region of display device 144. In this manner, a user may point to the upper right hand region and view categories that have been previously selected. Processor 122 may also use the date and time of the stored selection to map from categories or sets of digital content items to a region of display device 144. For example, processor 122 may only map a category to a particular region if the category has been selected within a predefined amount of time. Employing these preferences, a user can quickly locate items that were previously selected.

Thus, there has been described a system and method for rapidly presenting structured digital content items using a pointing device to quickly preview categories and digital content items. The user may quickly preview many display instances of structured digital content items without having to navigate through a series of drop down menus. In this manner, a user may search through structured digital content items very quickly and very simply. It is not required to maneuver through a multiplicity of drop-down menus via multiple keystrokes; rather, a user simply uses a touch screen or a mouse to quickly

scroll through structured digital content items. By making a selection (*e.g.*, by releasing a finger from a touch screen or clicking the mouse), the user may move down one layer in the hierarchy implemented by the structure file or may select a desired set of digital content items. Moreover, a user's preferences may be stored and used in displaying
5 categories and digital content items. As such, the user may access the desired category or content very quickly.

The present invention may be embodied in the form of program code (*i.e.*, instructions) stored on a computer-readable medium, such as a magnetic, electrical, or optical storage medium, including without limitation a floppy diskette, CD-ROM, CD-
10 RW, DVD-ROM, DVD-RAM, magnetic tape, flash memory, hard disk drive, or any other machine-readable storage medium, wherein, when the program code is loaded into and executed by a machine, such as a computer, the machine becomes an apparatus for practicing the invention. The present invention may also be embodied in the form of program code that is transmitted over some transmission medium, such as over electrical
15 wiring or cabling, through fiber optics, over a network, including the Internet or an intranet, or via any other form of transmission, wherein, when the program code is received and loaded into and executed by a machine, such as a computer, the machine becomes an apparatus for practicing the invention. When implemented on a general-purpose processor, the program code combines with the processor to provide a unique
20 apparatus that operates analogously to specific logic circuits.

It is noted that the foregoing examples have been provided merely for the purpose of explanation and are in no way to be construed as limiting of the present invention. While the invention has been described with reference to illustrative embodiments, it is understood that the words which have been used herein are words of

description and illustration, rather than words of limitation. Further, although the invention has been described herein with reference to particular structure, methods, and embodiments, the invention is not intended to be limited to the particulars disclosed herein; rather, the invention extends to all structures, methods and uses that are within the scope of the appended claims. Those skilled in the art, having the benefit of the teachings of this specification, may effect numerous modifications thereto and changes may be made without departing from the scope and spirit of the invention, as defined by the appended claims.

10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
841
842
843
844
845
846
847
848
849
850
851
852
853
854
855
856
857
858
859
860
861
862
863
864
865
866
867
868
869
870
871
872
873
874
875
876
877
878
879
880
881
882
883
884
885
886
887
888
889
890
891
892
893
894
895
896
897
898
899
900
901
902
903
904
905
906
907
908
909
910
911
912
913
914
915
916
917
918
919
920
921
922
923
924
925
926
927
928
929
930
931
932
933
934
935
936
937
938
939
940
941
942
943
944
945
946
947
948
949
950
951
952
953
954
955
956
957
958
959
960
961
962
963
964
965
966
967
968
969
970
971
972
973
974
975
976
977
978
979
980
981
982
983
984
985
986
987
988
989
990
991
992
993
994
995
996
997
998
999
1000
1001
1002
1003
1004
1005
1006
1007
1008
1009
1010
1011
1012
1013
1014
1015
1016
1017
1018
1019
1020
1021
1022
1023
1024
1025
1026
1027
1028
1029
1030
1031
1032
1033
1034
1035
1036
1037
1038
1039
1040
1041
1042
1043
1044
1045
1046
1047
1048
1049
1050
1051
1052
1053
1054
1055
1056
1057
1058
1059
1060
1061
1062
1063
1064
1065
1066
1067
1068
1069
1070
1071
1072
1073
1074
1075
1076
1077
1078
1079
1080
1081
1082
1083
1084
1085
1086
1087
1088
1089
1090
1091
1092
1093
1094
1095
1096
1097
1098
1099
1100
1101
1102
1103
1104
1105
1106
1107
1108
1109
1110
1111
1112
1113
1114
1115
1116
1117
1118
1119
1120
1121
1122
1123
1124
1125
1126
1127
1128
1129
1130
1131
1132
1133
1134
1135
1136
1137
1138
1139
1140
1141
1142
1143
1144
1145
1146
1147
1148
1149
1150
1151
1152
1153
1154
1155
1156
1157
1158
1159
1160
1161
1162
1163
1164
1165
1166
1167
1168
1169
1170
1171
1172
1173
1174
1175
1176
1177
1178
1179
1180
1181
1182
1183
1184
1185
1186
1187
1188
1189
1190
1191
1192
1193
1194
1195
1196
1197
1198
1199
1200
1201
1202
1203
1204
1205
1206
1207
1208
1209
1210
1211
1212
1213
1214
1215
1216
1217
1218
1219
1220
1221
1222
1223
1224
1225
1226
1227
1228
1229
1230
1231
1232
1233
1234
1235
1236
1237
1238
1239
1240
1241
1242
1243
1244
1245
1246
1247
1248
1249
1250
1251
1252
1253
1254
1255
1256
1257
1258
1259
1260
1261
1262
1263
1264
1265
1266
1267
1268
1269
1270
1271
1272
1273
1274
1275
1276
1277
1278
1279
1280
1281
1282
1283
1284
1285
1286
1287
1288
1289
1290
1291
1292
1293
1294
1295
1296
1297
1298
1299
1300
1301
1302
1303
1304
1305
1306
1307
1308
1309
1310
1311
1312
1313
1314
1315
1316
1317
1318
1319
1320
1321
1322
1323
1324
1325
1326
1327
1328
1329
1330
1331
1332
1333
1334
1335
1336
1337
1338
1339
1340
1341
1342
1343
1344
1345
1346
1347
1348
1349
1350
1351
1352
1353
1354
1355
1356
1357
1358
1359
1360
1361
1362
1363
1364
1365
1366
1367
1368
1369
1370
1371
1372
1373
1374
1375
1376
1377
1378
1379
1380
1381
1382
1383
1384
1385
1386
1387
1388
1389
1390
1391
1392
1393
1394
1395
1396
1397
1398
1399
1400
1401
1402
1403
1404
1405
1406
1407
1408
1409
1410
1411
1412
1413
1414
1415
1416
1417
1418
1419
1420
1421
1422
1423
1424
1425
1426
1427
1428
1429
1430
1431
1432
1433
1434
1435
1436
1437
1438
1439
1440
1441
1442
1443
1444
1445
1446
1447
1448
1449
1450
1451
1452
1453
1454
1455
1456
1457
1458
1459
1460
1461
1462
1463
1464
1465
1466
1467
1468
1469
1470
1471
1472
1473
1474
1475
1476
1477
1478
1479
1480
1481
1482
1483
1484
1485
1486
1487
1488
1489
1490
1491
1492
1493
1494
1495
1496
1497
1498
1499
1500
1501
1502
1503
1504
1505
1506
1507
1508
1509
1510
1511
1512
1513
1514
1515
1516
1517
1518
1519
1520
1521
1522
1523
1524
1525
1526
1527
1528
1529
1530
1531
1532
1533
1534
1535
1536
1537
1538
1539
1540
1541
1542
1543
1544
1545
1546
1547
1548
1549
1550
1551
1552
1553
1554
1555
1556
1557
1558
1559
1560
1561
1562
1563
1564
1565
1566
1567
1568
1569
1570
1571
1572
1573
1574
1575
1576
1577
1578
1579
1580
1581
1582
1583
1584
1585
1586
1587
1588
1589
1590
1591
1592
1593
1594
1595
1596
1597
1598
1599
1600
1601
1602
1603
1604
1605
1606
1607
1608
1609
1610
1611
1612
1613
1614
1615
1616
1617
1618
1619
1620
1621
1622
1623
1624
1625
1626
1627
1628
1629
1630
1631
1632
1633
1634
1635
1636
1637
1638
1639
1640
1641
1642
1643
1644
1645
1646
1647
1648
1649
1650
1651
1652
1653
1654
1655
1656
1657
1658
1659
1660
1661
1662
1663
1664
1665
1666
1667
1668
1669
1670
1671
1672
1673
1674
1675
1676
1677
1678
1679
1680
1681
1682
1683
1684
1685
1686
1687
1688
1689
1690
1691
1692
1693
1694
1695
1696
1697
1698
1699
1700
1701
1702
1703
1704
1705
1706
1707
1708
1709
1710
1711
1712
1713
1714
1715
1716
1717
1718
1719
1720
1721
1722
1723
1724
1725
1726
1727
1728
1729
1730
1731
1732
1733
1734
1735
1736
1737
1738
1739
1740
1741
1742
1743
1744
1745
1746
1747
1748
1749
1750
1751
1752
1753
1754
1755
1756
1757
1758
1759
1760
1761
1762
1763
1764
1765
1766
1767
1768
1769
1770
1771
1772
1773
1774
1775
1776
1777
1778
1779
1780
1781
1782
1783
1784
1785
1786
1787
1788
1789
1790
1791
1792
1793
1794
1795
1796
1797
1798
1799
1800
1801
1802
1803
1804
1805
1806
1807
1808
1809
1810
1811
1812
1813
1814
1815
1816
1817
1818
1819
1820
1821
1822
1823
1824
1825
1826
1827
1828
1829
1830
1831
1832
1833
1834
1835
1836
1837
1838
1839
1840
1841
1842
1843
1844
1845
1846
1847
1848
1849
1850
1851
1852
1853
1854
1855
1856
1857
1858
1859
1860
1861
1862
1863
1864
1865
1866
1867
1868
1869
1870
1871
1872
1873
1874
1875
1876
1877
1878
1879
1880
1881
1882
1883
1884
1885
1886
1887
1888
1889
1890
1891
1892
1893
1894
1895
1896
1897
1898
1899
1900
1901
1902
1903
1904
1905
1906
1907
1908
1909
1910
1911
1912
1913
1914
1915
1916
1917
1918
1919
1920
1921
1922
1923
1924
1925
1926
1927
1928
1929
1930
1931
1932
1933
1934
1935
1936
1937
1938
1939
1940
1941
1942
1943
1944
1945
1946
1947
1948
1949
1950
1951
1952
1953
1954
1955
1956
1957
1958
1959
1960
1961
1962
1963
1964
1965
1966
1967
1968
1969
1970
1971
1972
1973
1974
1975
1976
1977
1978
1979
1980
1981
1982
1983
1984
1985
1986
1987
1988
1989
1990
1991
1992
1993
1994
1995
1996
1997
1998
1999
2000
2001
2002
2003
2004
2005
2006
2007
2008
2009
2010
2011
2012
2013
2014
2015
2016
2017
2018
2019
2020
2021
2022
2023
2024
2025
2026
2027
2028
2029
2030
2031
2032
2033
2034
2035
2036
2037
2038
2039
2040
2041
2042
2043
2044
2045
2046
2047
2048
2049
2050
2051
2052
2053
2054
2055
2056
2057
2058
2059
2060
2061
2062
2063
2064
2065
2066
2067
2068
2069
2070
2071
2072
2073
2074
2075
2076
2077
2078
2079
2080
2081
2082
2083
2084
2085
2086
2087
2088
2089
2090
2091
2092
2093
2094
2095
2096
2097
2098
2099
2100
2101
2102
2103
2104
2105
2106
2107
2108
2109
2110
2111
2112
2113
2114
2115
2116
2117
2118
2119
2120
2121
2122
2123
2124
2125
2126
2127
2128
2129
2130
2131
2132
2133
2134
2135
2136
2137
2138
2139
2140
2141
2142
2143
2144
2145
2146
2147
2148
2149
2150
2151
2152
2153
2154
2155
2156
2157
2158
2159
2160
2161
2162
2163
2164
2165
2166
2167
2168
2169
2170
2171
2172
2173
2174
2175
2176
2177
2178
2179
2180
2181
2182
2183
2184
2185
2186
2187
2188
2189
2190
2191
2192
2193
2194
2195
2196
2197
2198
2199
2200
2201
2202
2203
2204
2205
2206
2207
220